



# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/702,132	11/05/2003	Dennis D. Bicker	1033-SS00355	6845
60533 7590 01/28/2008 TOLER LAW GROUP		EXAMINER		
8500 BLUFFSTONE COVE			DESIR, PIERRE LOUIS	
SUITE A201 AUSTIN, TX 78759		•	ART UNIT	PAPER NUMBER
AUSTIN, TA 7	6137.		2617	
·	•			
			MAIL DATE	DELIVERY MODE
	•		01/28/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)			
Office Action Summary		10/702,132	BICKER ET AL.			
		Examiner	Art Unit			
		Pierre-Louis Desir	2617			
	The MAILING DATE of this communication app					
Period fo	or Reply					
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLICHEVER IS LONGER, FROM THE MAILING DIPLICATION OF THE MAILING DIPLIC	ATE OF THIS COMMUNICATION (36(a)). In no event, however, may a reply be timwill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE!	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status	•					
1) 🛛	Responsive to communication(s) filed on 20 N	lovember 2007.				
-	This action is <b>FINAL</b> . 2b) This action is non-final.					
3) 🗌	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Dispositi	ion of Claims					
5)□ 6)⊠ 7)□	Claim(s) 1-7, 14-1518-19, 22-28 is/are pending 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1-7, 14-1518-19, 22-28 is/are rejected Claim(s) is/are objected to. Claim(s) are subject to restriction and/o	wn from consideration.				
Applicati	on Papers					
•	The specification is objected to by the Examine The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the	epted or b)□ objected to by the E				
11)	Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex	tion is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).			
Priority u	ınder 35 U.S.C. § 119					
12) a)[	Acknowledgment is made of a claim for foreign All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau Gee the attached detailed Office action for a list	s have been received. s have been received in Application rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachmen	t(s)					
	e of References Cited (PTO-892)	4) Interview Summary				
3) 🔲 Inforr	e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal Page 6) Other:				

#### **DETAILED ACTION**

### Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/20/2007 has been entered.

## Response to Arguments

- 2. Applicant's arguments filed on 06/12/2007 have been fully considered but they are not persuasive.
- 3. As Related to claim 1, Applicants argue that Fors et al. does not disclose "sending call forwarding message including the Internet protocol address from the mobile phone to a remote cellular network element of a wide area cellular network via the WWAN module," nor does it disclose "wherein the wide area cellular module communicates the call forwarding message to the remote wide area cellular network via the cellular interface."

Examiner respectfully disagrees. Fors discloses that MS 201 is a dual-mode mobile phone capable of communicating with both the cellular network (i.e., using wide area cellular communication module) and the WLAN network (i.e., using WLAN or short-range communication module). And, the dual-mode mobile station includes a processor, a dual-mode

Art Unit: 2617

transmitter and a dual-mode receiver (see col. 3, lines 64-col. 4, line 2). Thus, one skilled in the art would unhesitatingly conceptualize that to communicate with the WLAN network, the mobile device would utilize the WLAN or short range module, and to communicate with the cellular network the mobile device would utilize the WWAN module. Also, Ibe discloses a method wherein when a mobile node connects to a foreign network, which is any network that is not its home network, it registers its care-of-address (COA) with the home agent, which is a router that serves the mobile nodes in a given network. The home agent uses the COA to forward packets arriving at the home network and destined for the mobile node. The tunnel from the home agent terminates at the foreign agent (a router in the visited (foreign or roaming) network whose IP address the mobile uses as its COA), and it is the responsibility of the foreign agent to forward packets arriving via the tunnel to the mobile node (see paragraphs 7-8).

Page 3

Therefore, it would have been obvious to one skilled in the art to combine Fors and Ibe to arrive at the claimed invention, i.e., sending call forwarding message including the Internet protocol address from the mobile phone to a remote cellular network element of a wide area cellular network via the WWAN module.

## Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

20040218575.

5. Claims 1-4, 7, 14-15, and 19-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fors et al. (Fors), Patent No. 6931249 in view of Ibe et al. (Ibe), Pub. No. US

Regarding claim 1, Fors discloses a method comprising: determining that the mobile phone is within range of a wireless local area network base station with voice over internet protocol capability (i.e., as the mobile station moves within the coverage area of WLAN AP, the mobile station performs signal strength measurements) (see col. 5, lines 62-63), the mobile phone including a wireless local area network module and a wireless wide area network module (i.e., dual mode mobile station: a WWAN mode and a WLAN mode) (see abstract, and col. 3, lines 18-20); receiving an internet protocol address associated with the wireless local area network base station via the WLAN module (i.e., the mobile station establishes contact with AP 210, wherein establishing contact involves obtaining an IP address) (see col. 5, lines 64-65).

Although Fors discloses a method as described, Fors does not specifically disclose a method comprising sending a call forwarding message including the internet protocol address from the mobile phone to a remote cellular network element of a wide area cellular network.

However, Ibe discloses a method wherein when a mobile node connects to a foreign network, which is any network that is not its home network, it registers its care-of-address (COA) with the home agent, which is a router that serves the mobile nodes in a given network. The home agent uses the COA to forward packets arriving at the home network and destined for the mobile node. The tunnel from the home agent terminates at the foreign agent (a router in the visited (foreign or roaming) network whose IP address the mobile uses as its COA), and it is the

Art Unit: 2617

responsibility of the foreign agent to forward packets arriving via the tunnel to the mobile node (see paragraphs 7-8). Ibe also discloses a method wherein a home network (i.e., cellular) redirects a call destined to the mobile phone (node) to the foreign network (WLAN) for communication with the mobile phone (see paragraphs 7-8).

It should also be noted that Fors discloses that MS 201 is a dual-mode mobile phone capable of communicating with both the cellular network (i.e., using wide area cellular communication module) and the WLAN network (i.e., using WLAN or short-range communication module). And, the dual-mode mobile station includes a processor, a dual-mode transmitter and a dual-mode receiver (see col. 3, lines 64-col. 4, line 2). Thus, one skilled in the art would unhesitatingly conceptualize that to communicate with the WLAN network, the mobile device would utilize the WLAN or short range module, and to communicate with the cellular network the mobile device would utilize the WWAN module. Also, Ibe discloses a method wherein when a mobile node connects to a foreign network, which is any network that is not its home network, it registers its care-of-address (COA) with the home agent, which is a router that serves the mobile nodes in a given network. The home agent uses the COA to forward packets arriving at the home network and destined for the mobile node. The tunnel from the home agent terminates at the foreign agent (a router in the visited (foreign or roaming) network whose IP address the mobile uses as its COA), and it is the responsibility of the foreign agent to forward packets arriving via the tunnel to the mobile node (see paragraphs 7-8).

Thus, it would have been obvious to one skilled in the art to combine Fors and Ibe to arrive at the claimed invention, i.e., sending call forwarding message including the Internet

Art Unit: 2617

protocol address from the mobile phone to a remote cellular network element of a wide area cellular network via the WWAN module.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings as described by Ibe with the teachings as disclosed by Fors to arrive at the claimed invention. A combination for doing so would have been to ensure that data is routed to the proper network as related to the network that has been determined to provide cheaper service (see col. 5, line 62 through col. 6, line 7).

Regarding claims 2, 7, and 19, Fors discloses a method as described above (see claim 1 rejection).

Although Fors discloses a method comprising communicating using voice over Internet protocol (reads on claim 7) (see col. 4, lines 45-54), Fors does not specifically disclose a method wherein the mobile phone receives the redirected call from the wireless local area network base station and allows voice communication using a voice over internet protocol.

However, Ibe discloses a method wherein a home network (i.e., cellular) redirects a call destined to the mobile phone (node) to the foreign network (WLAN) for communication with the mobile phone (see paragraphs 7-8). Ibe further discloses a method wherein the call (i.e., packets) destined to the mobile phone is communicated between the remote cellular network element (i.e., home agent) and the wireless local area network base station (i.e., foreign agent) without utilizing a public switched telephone network (i.e., the home agent forward packets using the COA to the mobile node---read on claim 19) (see paragraphs 7-8).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings as described by Ibe with the teachings as disclosed by Fors to

Art Unit: 2617

arrive at the claimed invention. A combination for doing so would have been to ensure that data is routed to the proper network as related to the network that has been determined to provide cheaper service (see col. 5, line 62 through col. 6, line 7).

Regarding claim 3, Fors discloses a method (see claim 1 rejection) wherein the mobile phone determines that it is in range of the wireless local area network by receiving a message in accordance with an IEEE 802.11 communication protocol (i.e., the mobile station monitors for WLAN (WLAN is a known wireless infrastructure such as that conforming to the IEEE 802.11 standard) availability and establishing contact with the WLAN, which includes obtaining IP address from the WLAN (col. 3, lines 11-21, and 37-39, and col. 5, lines 62-65).

Regarding claim 4, Fors discloses a method as described above (see claim 1 rejection).

Although Fors discloses a method as described, Fors does not specifically disclose a method wherein the Internet protocol address is communicated to the mobile phone using a dynamic host configuration protocol.

However, Ibe discloses a method wherein Internet protocol address is communicated to a mobile phone using a dynamic host configuration protocol (see paragraph 42).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings as described by Ibe with the teachings as described by Fors to arrive at the claimed invention. A motivation for doing so would have been to reduce the work necessary involved in the distribution of IP addresses.

Regarding claims 14, 22-28, Fors discloses a mobile phone (see abstract) device comprising: a housing (see fig. 2b); an antenna attached to the housing (see fig. 2b); a memory disposed within the housing adapted to store the IP address that uniquely identify a

communication path between the mobile phone and the wireless local area network (see fig. 2b, col. 4, line 8), received by the mobile phone from a wireless local area network (the MS obtains an IP address) (see col. 5, lines 64-65); a wide area cellular communications module disposed within the housing (i.e., dual mode mobile station: a WWAN mode and a WLAN mode) (see abstract, and col. 3, lines 18-20), the wide area cellular having a cellular interface to communicate with a remote wide area cellular network (i.e., the dual mode is served by a cellular base station) (see col. 3, lines 18-20); and a short-range wireless local area network module disposed within the housing (i.e., dual mode mobile station: a WWAN mode and a WLAN mode) (see abstract, and col. 3, lines 18-20), the short-range wireless local area network module having a wireless interface to communicate with a wireless local area network having voice over internet protocol communications capability (i.e., the dual mode mobile station monitors WLAN availability). For also discloses a system wherein the mobile phone determines that it is in range of the wireless local area network by receiving a message in accordance with an IEEE 802.11 communication protocol (i.e., the mobile station monitors for WLAN (WLAN is a known wireless infrastructure such as that conforming to the IEEE 802.11 standard) availability and establishing contact with the WLAN, which includes obtaining IP address from the WLAN (col. 3, lines 11-21, and 37-39, and col. 5, lines 62-65).

Although Fors discloses a mobile phone device as described above, Fors does not specifically disclose a mobile phone device, wherein the wide area cellular communication module formulates a call forwarding message that includes the internet protocol address, the call forwarding message to be communicated to the remote wide area cellular network, nor does it

Art Unit: 2617

disclose a method comprising receiving an IP address at a wireless communication device from a DHCP module of a wireless local area network device via a short range wireless network.

However, Ibe discloses that when a mobile node is connected to a foreign network, which is any network that is not its home network, it registers its care-of-address (COA) with the home agent, which is a router that serves the mobile nodes in a given network. The home agent uses the COA to forward packets arriving at the home network and destined for the mobile node. The tunnel from the home agent terminates at the foreign agent (a router in the visited (foreign or roaming) network whose IP address the mobile uses as its COA), and it is the responsibility of the foreign agent to forward packets arriving via the tunnel to the mobile node (see paragraphs 7-8). Ibe also discloses a network messaging to selectively communicate text message via one of the wide area cellular communications module and the short range wireless local area network module (see paragraph 48). Ibe also discloses a method wherein Internet protocol address is communicated to a mobile phone using a dynamic host configuration protocol (see paragraph 42). Ibe discloses that to initiate the handoff from the WLAN to the WWAN, the mobile device sends an "initiate handoff" message to the Cellular Controller via Handoff Controller when the received signal strength indicator goes below a predefined threshold. Included in this message are the parameters of the current TCP connection: its *port number*, window size, and its *IP* address in the WLAN (see paragraph 46). Ibe also discloses a method the mobile communication device further includes a memory to store to store a user identification and password associated with the VoIP provider wherein communicating with the VoIP provider comprises accessing the IP address of the VoIP provider and sending the user identification and

password to the VoIP provider to establish a connection between the mobile communication device and the VoIP provider (se paragraph 42).

Page 10

It should also be noted that Fors discloses that MS 201 is a dual-mode mobile phone capable of communicating with both the cellular network (i.e., using wide area cellular communication module) and the WLAN network (i.e., using WLAN or short-range communication module). And, the dual-mode mobile station includes a processor, a dual-mode transmitter and a dual-mode receiver (see col. 3, lines 64-col. 4, line 2). Thus, one skilled in the art would unhesitatingly conceptualize that to communicate with the WLAN network, the mobile device would utilize the WLAN or short range module, and to communicate with the cellular network the mobile device would utilize the WWAN module. Also, Ibe discloses a method wherein when a mobile node connects to a foreign network, which is any network that is not its home network, it registers its care-of-address (COA) with the home agent, which is a router that serves the mobile nodes in a given network. The home agent uses the COA to forward packets arriving at the home network and destined for the mobile node. The tunnel from the home agent terminates at the foreign agent (a router in the visited (foreign or roaming) network whose IP address the mobile uses as its COA), and it is the responsibility of the foreign agent to forward packets arriving via the tunnel to the mobile node (see paragraphs 7-8). Thus, it would have been obvious to one skilled in the art to combine Fors and Ibe to arrive at the claimed invention, i.e., sending call forwarding message including the Internet protocol address from the mobile phone to a remote cellular network element of a wide area cellular network via the WWAN module.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings as described by Ibe with the teachings as disclosed by Fors to

Art Unit: 2617

arrive at the claimed invention. A combination for doing so would have been to ensure that data is routed to the proper network as related to the network that has been determined to provide cheaper service (see col. 5, line 62 through col. 6, line 7).

Regarding claim 15, Fors discloses a device (see claim 14 rejection) wherein the wide area cellular communications module and the short-range wireless local area network module are computer software modules integrated within a digital processor device (i.e., dual mode mobile station) (see abstract, and col. 3, lines 18-20)

Regarding claim 20, Fors discloses a method (see claim 1 rejection) wherein the Internet protocol address is received at the mobile phone from the wireless local area network base station via a wireless connection (see fig. 2a, and col. 5, lines 62-65).

6. Claims 5-6, and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fors and Ibe, further in view of Chandra et al. (Chandra), Pub. No. US 20030217180.

Regarding claims 5 and 18, Fors and Ibe disclose a method further comprising determining that the mobile phone has moved out of range of the wireless local area network base station (see Ibe abstract, and paragraphs 18, 45-46). Ibe also discloses a method that enables a mobile device to originate a data connection in a WLAN and have this data connection be automatically handed off to the WWAN without losing the connection when the user goes outside the range of the WLAN (see abstract, and paragraphs 18, 45-46). Thus, it would have been obvious to one skilled in the art to immediately envision that when data connection is handed off to the WWAN, communication between the mobile phone and the WWAN is done through the WWAN spectrum (i.e., cellular spectrum).

Art Unit: 2617

Although the combination discloses a method and a device as described above, the combination does not specifically disclose sending a message to the cellular network element to cancel (the previously communicated call forwarding message to be sent to the remote wide area cellular network---as related to claim 18) call forwarding to the wireless local area network base station.

However, Chandra discloses a method wherein a mobile node roams back to the home network. The mobile node sends a deregistration request to the home agent, requesting the home agent delete its bindings. The mobile node can delete the bindings to the mobile node. If a tunnel were created, it would also be deleted (see paragraphs 39-40). Thus, it would be obvious to one skilled in the art (combining the teachings of Chandra with Fors and Ibe) that when the mobile node roams back to the home network, it sends a message (i.e., deregistration message) which indicates to the home agent to delete bindings, tunnel information (i.e. care-of-address), which would indicate that the forwarding of data using the care-of-address (as related to tunneling) will be cancelled. It would also be obvious to one skilled in the art to immediately envision (combination the teachings of Chandra with Fors and Ibe) that if the mobile node roams back to its network, the home network will be ending data directly to the mobile node without using bindings or tunnel, since that information would be canceled.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings as described by Chandra with the teachings as described by Fors and Ibe to arrive at the claimed invention. A motivation for doing so would have been to provide better quality of service or free up space.

Regarding claim 6, Ibe discloses a method wherein the wide area cellular network sends a call directly to the mobile phone over a cellular spectrum after the mobile phone has moved out of range of the wireless local area network (i.e., Ibe discloses a method that enables a mobile device to originate a data connection in a WLAN and have this data connection be automatically handed off to the WWAN without losing the connection when the user goes outside the range of the WLAN) (see abstract, and paragraphs 18, 45-46). Thus, it would have been obvious to one skilled in the art to immediately envision that when data connection is handed off to the WWAN, communication between the mobile phone and the WWAN is done through the WWAN spectrum (i.e., cellular spectrum).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings as described by Chandra with the teachings as described by Fors and Ibe to arrive at the claimed invention. A motivation for doing so would have been to provide better quality of service or free up space.

#### Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pierre-Louis Desir whose telephone number is (571) 272-7799. The examiner can normally be reached on Monday-Friday 8:00AM- 5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Feild can be reached on (571) 272-4090. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Pierre Louis Desir 01/22/2008

JEAN GELIN PRIMARY EXAMINER